

RECEIVED
CENTRAL FAX CENTER

APR 03 2008

KRISTOFER E. ELBING
High Technology Law

187 Pelham Island Road
Wayland, Massachusetts
01778-2509Telephone: (508) 358 2590
Facsimile: (508) 358 0714
E-mail: elbing@elbing.com

Fax

To: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**From:** Kristofer E. Elbing**Fax:** 571-273-6300**Pages:** 5 (including this sheet)**Phone:****Date:** April 3, 2008**Re:** Serial No.: 10/776,029**Our ref:** S0001-002004☐ **Urgent** ☐ **For Review** ☐ **Please Comment** ☐ **Please Reply** ☐ **Please Recycle**

ATTACHED IS A PETITION TO CORRECT ASSIGNEE INFORMATION TO BE PRINTED ON PATENT, UNDER 37 CFR 3.81, 1.183, AND 1161 OG 293

THIS FACSIMILE TRANSMISSION IS INTENDED ONLY FOR THE ADDRESSEE(S) SHOWN ABOVE. IT MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, OR OTHERWISE PROTECTED FROM DISCLOSURE. ANY REVIEW, DISSEMINATION, OR USE OF THIS FACSIMILE OR ITS CONTENTS BY PERSONS OTHER THAN THE ADDRESSEE(S) IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE NOTIFY THE SENDER IMMEDIATELY BY TELEPHONE AT (508) 358 2590.

RECEIVED
CENTRAL FAX CENTER

APR 03 2008


Attorney Docket No. D0001-003001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: E. Neil Lewis et al. Examiner: Tony Ko
Serial No.: 10/776,029 Art Unit: 2878
Filed: February 10, 2004
Title: HIGH-VOLUME ON-LINE SPECTROSCOPIC COMPOSITION TESTING OF
MANUFACTURED PHARMACEUTICAL DOSAGE UNITS

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 C.F.R. § 1.8(a)

The undersigned hereby certifies that this document is being transmitted by facsimile to the U.S. Patent and Trademark Office, in accordance with 37 C.F.R. § 1.6(d), on April 3, 2008.


Kristofer E. Elbing, Registration No. 34,590

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**PETITION TO CORRECT ASSIGNEE INFORMATION TO BE PRINTED ON PATENT
UNDER 37 CFR 1.183, 3.81, and 1161 OG 293**

This is a petition to correct the assignee information on this application, which was incorrectly listed on the PTO-85 form for this application. This petition is being submitted pursuant to 37 CFR 3.81, or, in the alternative under 37 CFR 1.183 to waive the requirements of 37 CFR 3.81, as provided for in 1161 OG 293. More specifically, this patent is currently assigned to:

Malvern Instruments Incorporated, Southborough, MA, and

The Government of the United States of America as Represented by the Secretary,
Department of Health and Human Services

Only the first assignee was listed in box 3 of the PTO-85 form filed for this application. Applicant respectfully requests that the patent for this application be issued listing both assignees.

Assignments for this application are listed at the following Reel/Frame numbers:

014726/0897

014726/0933

014726/0906

018986/0332

The text of 1161 OG 293 indicates that the fee provided for in 37 CFR 1.17(h) should be charged for this petition. Please charge this fee, or apply any credits, to Deposit Account No. 50-0750. If this is not the correct petition fee, please apply the appropriate petition fee, or any additional fees, to the above-listed deposit account. A duplicate finance copy of this paper is attached.

Respectfully submitted,

April 3, 2008
Dated

Kristofer E. Elbing
Kristofer E. Elbing
Registration No. 34,590
187 Pelham Island Road
Wayland, MA 01778
Telephone: (508) 358-2590
Facsimile: (508) 358-0714

DUPLICATE FINANCE COPY RECEIVED
CENTRAL FAX CENTERIN THE UNITED STATES PATENT AND TRADEMARK OFFICE **APR 03 2008**

Applicant: E. Neil Lewis et al. Examiner: Tony Ko
Serial No.: 10/776,029 Art Unit: 2878
Filed: February 10, 2004
Title: HIGH-VOLUME ON-LINE SPECTROSCOPIC COMPOSITION TESTING OF
MANUFACTURED PHARMACEUTICAL DOSAGE UNITS

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 C.F.R. § 1.8(a)

The undersigned hereby certifies that this document is being transmitted by facsimile to the U.S. Patent and Trademark Office, in accordance with 37 C.F.R. § 1.6(d), on April 3, 2008.

Kristofer E. Elbing, Registration No. 34,590

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PETITION TO CORRECT ASSIGNEE INFORMATION TO BE PRINTED ON PATENT
UNDER 37 CFR 1.183, 3.81, and 1161 OG 293

This is a petition to correct the assignee information on this application, which was incorrectly listed on the PTO-85 form for this application. This petition is being submitted pursuant to 37 CFR 3.81, or, in the alternative under 37 CFR 1.183 to waive the requirements of 37 CFR 3.81, as provided for in 1161 OG 293. More specifically, this patent is currently assigned to:

Malvern Instruments Incorporated, Southborough, MA, and

The Government of the United States of America as Represented by the Secretary,
Department of Health and Human Services

Only the first assignee was listed in box 3 of the PTO-85 form filed for this application. Applicant respectfully requests that the patent for this application be issued listing both assignees.

DUPLICATE FINANCE COPY

Assignments for this application are listed at the following Reel/Frame numbers:

014726/0897

014726/0933

014726/0906

018986/0332

The text of 1161 OG 293 indicates that the fee provided for in 37 CFR 1.17(h) should be charged for this petition. Please charge this fee, or apply any credits, to Deposit Account No. 50-0750. If this is not the correct petition fee, please apply the appropriate petition fee, or any additional fees, to the above-listed deposit account. A duplicate finance copy of this paper is attached.

Respectfully submitted,

Dated

Kristofer E. Elbing
Registration No. 34,590
187 Pelham Island Road
Wayland, MA 01778
Telephone: (508) 358-2590
Facsimile: (508) 358-0714